

EA FontEditor V1.0 manual

Dezember 2009
© ELECTRONIC ASSEMBLY GmbH




Zeppelinstrasse 19, D-82205 Gilching
Phone +49-8105-778090, Fax +49-8105-778099
<http://www.lcd-module.de>

ELECTRONIC ASSEMBLY reserves the right to change specifications without prior notice.
Printing and typographical errors reserved.

Table of Contents

Part I General	2
Part II Overview	3
1 Main window	3
2 Font Overview	4
3 Toolbar	5
4 Import Fonts	7
5 Export Fonts	8
6 DOG-Simulator	10
Part III Menu	11
1 File	11
2 Edit	13
3 Tool	14
4 Character	15
5 Font	17
6 Help	19
Part IV On-Stick Fonts	20
1 Font 4x6	20
2 Font 5x6	21
3 Font 6x8	22
4 Font 8x8	23
5 Font 7x12	24
6 Font 8x16	25
7 Font 16x32 numbers	26
8 Font 48x64 numbers	27
9 Font 6x8 cyrillic	28
10 Font 8x16 cyrillic	29
Part V Font format *.FV	30
Part VI Font format *.FH	31

1 General



All graphic displays from ELECTRONIC ASSEMBLY EA DOG series do provide a full graphic memory. To display some characters and text, a small bitmap need to be written into this graphic memory. The FontEditor from ELECTRONIC ASSEMBLY generates those bitmap files. It will be included in μ C application then.

Use the ready made on-stick fonts *.fv

The FontEditor comes with some ready made fonts, they are optimized for good readability.

[4x6.fv](#)^[20], [5x6.fv](#)^[21], [6x8.fv](#)^[22], [8x8.fv](#)^[23], [7x12.fv](#)^[24], [8x16.fv](#)^[25],
[16x32_numbers.fv](#)^[26], [48x64_numbers.fv](#)^[27], [6x8_cyrillic.fv](#)^[28], [8x16_cyrillic.fv](#)^[29]

Thousand more fonts can be created easy with the help of Windows [Font Import](#)^[7].




Zeppelinstrasse 19, D-82205 Gilching
 Phone +49-8105-778090, Fax +49-8105-778099
<http://www.lcd-module.de>

ELECTRONIC ASSEMBLY reserves the right to change specifications without prior notice.
 Printing and typographical errors reserved.

2 Overview

2.1 Main window

Double click on the file FontEditor.exe opens the EA FontEditor.



Note that the lower helpline does show useful additional informations.

There are 2 possibilities to work with the EA FontEditor tool. You can click through the menu with the mouse or you can use the Shift, Alt Ctrl/Strg with some letters of the keyboard.

When pressing the Alt key in the Main Menu the letter with which you can open the menu item in combination with the Alt button is underlined.

2.2 Font Overview

The Window **Font Overview** is a preview function for the whole character set. The white fields do mark all included characters, while the gray fields represent non used codes. The yellow area signs the active character.

Font Overview															
	!	"	#	\$	%	&	'	()	*	+	,	-	.	/
0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
p	q	r	s	t	u	v	w	x	y	z	{		}	~	□
€	□	,	f	//	...	†	‡	^	%	Š	<	Œ	□	Ž	□
□	\	/	\"	\"	•	-	-	~	™	š	>	œ	□	ž	Ÿ
	ı	ç	£	¤	¥	¦	§	¨	©	ª	«	¬	®	¯	
°	±	²	³	´	µ	¶	·	,	¹	º	»	¼	½	¾	¿
À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

With a right-mouse-click the font can be cut. This action safes memory space.

Font Overview															
	!	"	#	\$	%	&	'	()	*	+	,	-	.	/
0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
p	q	r	s	t	u	v	w	x	y	z	{		}	~	□
€	□	,	f	//	...	†	‡	^	%	Š	<	Œ	□	Ž	□
□	\	/	\"	\"	•	-	-	~	™	š	>	œ	□	ž	Ÿ
	ı	ç	£	¤	¥	¦	§	¨	©	ª	«	¬	®	¯	
°	±	²	³	´	µ	¶	·	,	¹	º	»	¼	½	¾	¿
À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï
ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ


set first character CTRL+LeftClick
set last character CTRL+RightClick

2.3 Toolbar

The most important functions from the Menu [Tool](#)^[14] and [Character](#)^[15] are also available in the toolbar for quick access.



Note that there will be tooltips displayed when the mouse comes over the button.



Black Color

Draw color black. Every action you are doing will paint black color to the pixels you are touching.

White Color

Draw color white. Every action you are doing will paint white color to the pixels you are touching.

Invers Color

Draw color invers. Every action you are doing will paint the opposite color to the pixels they had been before. This means white pixels will get black and black will get white.

Draw Dots

Every dot you are clicking gets changed to the draw color.

Draw Lines

The software draws a straight line from one position to another as good as possible.

Draw Arc

The software draws an arc from one position to another as good as possible. Alt+S changes the direction of bending the Arc also during execution.

Draw Rectangle

A rectangle is drawn from the starting point to the point leave the mouse button. Alt+R changes the option to fill the rectangle also during execution.

Draw Circles

The software draws a circle or ellipsoid from one point to another as good as possible. Alt+C changes the option to fill the circle also during execution.

Fill area

Click to an area and it will be filled with the draw color (black or white)

**Horizontal Mirror**

will mirror the character on X-axis.

**Vertical Mirror**

will mirror the character on Y-axis.

**Clear**

Erases the character (white).

**Invert**

Black dots turn to white and white dots to black.

**Bold**

Makes the character bold, does mean adds 1 dot around.

**Outline**

Adds an outline around the character and deletes the inner area.

**Fill**

Fills inner areas.


**Unfill**

Unfills inner areas.

2.4 Import Fonts

Import True Type fonts

A smart way to generate larger fonts is to scan and convert Windows TrueTypeFonts. This way we recommend for medium and large fonts with a pixel height of min. 16.




Note that the function "Kursiv"/"Italic" is not supported.

2.5 Export Fonts

Export font file

With the Export function the font is converted to a text file which may be direct included in a C and basic source code.



Export a Overview Bitmap

File '16x32ZIF.fv' as '16x32ZIF.bmp'

+ Lower	\$0	\$1	\$2	\$3	\$4	\$5	\$6	\$7	\$8	\$9	\$A	\$B	\$C	\$D	\$E	\$F
Upper	(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
\$20 (dez: 32)											×	+	,	-	.	÷
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:					

Export a C-Header File

```
/* File 'AB.fv' as include
```

```
the array starts with a 8 byte header:
```

```
1st Byte: 'F' first 2 bytes are always FV
```

```
2nd Byte: 'V' for FONT VERTICAL
```

```
3rd Byte: First code to define
```

```
4th Byte: Last code to define
```

```
5th Byte: Width of character in dots
```

```
6th Byte: Height of character in dots
```

```
7th Byte: Height of character in bytes
```

```
8th Byte: Bytes needed for each character (1..255)
```

```
or 0 for big fonts calculate WidthInDots * HeightInBytes
```

```
After that font data will follow */
```

```
#define Font_AB_fh_LEN 40

unsigned char Font_AB_fh[Font_AB_fh_LEN] =
{
    70, 86, 65, 66, 8, 16, 2, 16,
    0,248, 12, 12, 12, 12,248, 0, 0, 63, 3, 3, 3, 3, 63, 0,
    0,252,140,140,140,140,120, 0, 0, 63, 49, 49, 49, 49, 30, 0
};
```

Export a Basic Source Code

```
'File 'AB.fv' as array

'the array starts with a 8 byte header:
' 1st Byte: 'F' first 2 bytes are always FV
' 2nd Byte: 'V' for FONT VERTICAL
' 3rd Byte: First code to define
' 4th Byte: Last code to define
' 5th Byte: Width of character in dots
' 6th Byte: Height of character in dots
' 7th Byte: Height of character in bytes
' 8th Byte: Bytes needed for each character (1..255)
'           or 0 for big fonts calculate WidthInDots * HeightInBytes
' After that font data will follow

Dim Font_AB_fh(40)=_
{
    70, 86, 65, 66, 8, 16, 2, 16,_
    0,248, 12, 12, 12, 12,248, 0, 0, 63, 3, 3, 3, 3, 63, 0,_
    0,252,140,140,140,140,120, 0, 0, 63, 49, 49, 49, 49, 30, 0_
};
```

2.6 DOG-Simulator

Simulation (startdog.exe)

The simulator software for the EA DOG displays does perfectly cooperate with the FontEditor. When both programs are started, the simulated DOG display immediately shows the current character. With that it is easy to assess immediately size and design.

A copy of startdog.exe is on the USB stick at \startdog\startdog.exe



LiveView on EA 9780-2USB


When FontEditor and startdog.exe are running and the testboard EA 9780-2USB is connected to the USB, then the character is immediately visible live on the plugged-in DOG display.

Individual Text

With the menuentry [Text for DOG-Simulator](#)¹³¹ you can change the displayed characters.

3 Menu

3.1 File



New

Creates a new Font, you are asked for numbers of pixels in width and height. After clicking the Ok button the new Font is created, ready to modify.

Open

Opens a window with several already [existing fonts](#)^[7] in different sizes which you can modify and save under your own name.

Import Font

Gives the possibility to [import fonts](#)^[7] (only mono spaced) from Windows System. You can type in the character height you want to have and the ASCII Code range you want to import. You can modify it letter by letter and store it as your own character set. Please be carefully not to violate any copyrights.

Save

You can save already created fonts under its original name, if it had not yet been saved before you will get the same Window as under "Save as" which asks for a name and extension.

Save as

You can change path, name and extension of the font and store it there. The original font remains unchanged.

Export

[Export the font](#)^[8] to different data formats:

- C Header File vertical FV(*.h)
- C Header File horizontal FH(*.h)
- Basic Header File vertical FV(*.bas)
- Basic Header File horizontal FH(*.bas)
- Overview Bitmap (*.bmp)

The files *.fv are for EA DOG display controller which have the bytes oriented vertically (ST7565R, UC1610 and UC1701)

The *.fh files are for controller which have placed the Bytes horizontal.

Overview Bitmap (*.bmp) creates a file which shows character font in a list which shows an overview of the characters and which character has which corresponding HEX-code. This *.bmp is good for documentation.


Print

Prints directly the Font Overview list with upper and lower hex codes.

Exit

This closes the FontEditor after asking whether the changes made should be stored.

3.2 Edit



Undo

This command gives you the possibility to make things undone step by step.

Redo

With the Redo function you can undo the steps you made with Undo.

Copy

Copies the actual character into the clipboard.

Paste


With the Paste button you can copy the clipboard content to the actual character.

Text for [DOG-Simulator](#)

Together with our simulation software startdog.exe you can see immediately on the monitor how the character looks on the Display. When using this simulator option you need to start "startdog.exe". When you have in addition our new USB testboard 9780-2USB you can see the appearance life on the plugged in DOG module.

The sign | stays for a line break, the # stays as a kind of space holder when you are trying several letters out of the character font.

3.3 Tool



Black Color

Draw color black. Every action you are doing will paint black color to the pixels you are touching.

White Color

Draw color white. Every action you are doing will paint white color to the pixels you are touching.

Invers Color

Draw color invers. Every action you are doing will paint the opposite color.

Draw Dots

Every dot you are clicking gets changed to the draw color.

Draw Lines

The software draws a straight line from one position to another as good as possible.

Draw Arc

The software draws an arc from one position to another as good as possible.
Alt+S changes the direction of bending the Arc also during execution.

Draw Rectangle

A rectangle is drawn from the starting point to the point leave the mouse button.
Alt+R changes the option to fill the rectangle also during execution.

Draw Circles


The software draws a circle or ellipsoid from one point to another as good as possible.
Alt+C changes the option to fill the circle also during execution.

Fill area

Click to an area and it will be filled with the draw color (black or white)

3.4 Character

Preamble: all functions in the Menu Character do effect to 1 single character only. The same functions can also be used to the whole font (all characters). Those functions are in the Menu [Font](#) (↑).



Horizontal Mirror

will mirror the character on X-axis.

Vertical Mirror

will mirror the character on Y-axis.

Clear

Erases the character (white).

Invert

Black dots turn to white and white dots to black.

Bold

Makes the character bold, does mean adds 1 dot around.

Outline

Adds and outline around the character and deletes the inner area.

Fill

Fills inner areas.

Unfill

Unfills inner areas.

Scroll Left

Shift the whole character one bit to the left.

Scroll Right

Shift the whole character one bit to the right.

Scroll Up


Shift the whole character one bit upwards.

Scroll Down

Shift the whole character one bit downwards.

3.5 Font

Preamble: all functions do effect all characters simultaneously. Compare with the Menu [Character](#)¹⁵⁾



Change size

A new draw area/size can be defined here.

Please note that this function does not scale the character !

Remove unused border

This function reduces the file size. The FontEditor scans all character and if there are not used width and/or height, the whole character set will be cut out to minimum size.

To reduce to an optimum, sometimes it is necessary to scroll some single characters additionally and then to repeat the function "Remove unused border".

Rotate

When the EA DOG display should be used in portrait mode (e.g. 64x128 dots), then it can be assembled by 90° rotation. Of course all character need to be rotated, too.

This function rotates the whole font by 90° clockwise.

Horizontal Mirror

will mirror the whole font on X-axis.

Vertical Mirror

will mirror the whole font on Y-axis.

Clear

Erases the whole font (white).

Invert

Black dots turn to white and white dots to black.

Bold

Makes the whole font bold, does mean adds 1 dot around.

Outline

Adds and outline around the whole font and deletes the inner area.

Fill

Fills inner areas.

Unfill

Unfills inner areas.

Scroll Left

Shift the whole font one bit to the left.

Scroll Right

Shift the whole font one bit to the right.


Scroll Up

Shift the whole font one bit upwards.

Scroll Down

Shift the whole font one bit downwards.

3.6 Help



Help This click shows you the Help-File.

About This click shows you the software version of the FontEditor.



4 On-Stick Fonts

4.1 Font 4x6

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	Q	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	Δ
\$80 (dez: 128)		ü			ö										ä	
\$90 (dez: 144)					ö					ø	ü					ß

4.2 Font 5x6

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	Δ
\$80 (dez: 128)	Ç	ü	é	š	š	š	š	š	š	š	š	š	š	š	š	š
\$90 (dez: 144)	É	æ	Æ	ø	ö	ö	ö	ö	ö	ö	ü	†	‡	¥	β	

4.3 Font 6x8

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/
\$30 (dez: 48)	Ø	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	'	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	ð
\$80 (dez: 128)	ç	ü	é	ā	ä	ã	ç	ē	è	ë	ï	î	ï	ÿ	À	Á
\$90 (dez: 144)	É	æ	Æ	ø	ö	ö	û	ü	ö	ü	¢	£	¥	β	f	
\$A0 (dez: 160)	á	í	ó	ú	ñ	Ñ	ó	ó	¿	¬	½	¼	¼	¼	¼	¼
\$B0 (dez: 176)	⋮	⊗	⊗		+	+	+	+	+	+	+	+	+	+	+	+
\$C0 (dez: 192)	L	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥
\$D0 (dez: 208)	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥	⊥
\$E0 (dez: 224)	α	β	Γ	Π	Σ	σ	μ	τ	ϋ	ϙ	Ω	δ	ω	ø	ε	π
\$F0 (dez: 240)	≡	±	≥	≤	Γ	J	÷	≈	⊙	•	•	√	π	z	■	

4.4 Font 8x8

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	Δ
\$80 (dez: 128)	ç	ü	é	â	ä	à	ç	è	ë	è	ï	î	ì	ä	å	
\$90 (dez: 144)	é	æ	Æ	ö	ö	ö	û	ù	ÿ	ö	ü	ç	£	¥	β	f
\$A0 (dez: 160)	ś	í	ó	ú	ñ	ñ	ə	o	ç	ı	ı	½	¼	i	«	»
\$B0 (dez: 176)	∴	∴	∴	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı
\$C0 (dez: 192)	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı
\$D0 (dez: 208)	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı
\$E0 (dez: 224)	α	β	Γ	π	Σ	σ	μ	τ	ϕ	θ	η	δ	φ	Φ	Ε	Π
\$F0 (dez: 240)	≡	±	≥	≤	ρ	Ј	÷	∞	°	*	.	√	n	2	3	—

4.5 Font 7x12

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/	
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	P	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	'	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	Δ
\$80 (dez: 128)	Ç	ü	é	â	ä	à	â	ç	é	ë	è	ï	î	ï	ñ	ñ
\$90 (dez: 144)	É	æ	Æ	ô	ö	ò	û	ù	ÿ	ö	ü	¢	£	¥	ß	f
\$A0 (dez: 160)	á	í	ó	ú	ñ	ñ	æ	ø	¿	¡	½	¼	í	«	»	
\$B0 (dez: 176)	⋮	⋮	⋮		†	‡	‡	π	¶	¶	¶	¶	¶	¶	¶	¶
\$C0 (dez: 192)	L	⊥	⊥	⊥	-	†	‡	‡	‡	‡	‡	‡	‡	=	‡	±
\$D0 (dez: 208)	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮
\$E0 (dez: 224)	α	β	Γ	π	Σ	σ	μ	τ	ϋ	θ	Ω	δ	φ	φ	ε	π
\$F0 (dez: 240)	≡	±	≥	≤	Γ	J	÷	≈	°	•	•	√	°	z	■	—

4.6 Font 8x16

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)		!	"	#	\$	%	&	'	()	*	+	,	-	.	/
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
\$40 (dez: 64)	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
\$50 (dez: 80)	P	Q	R	S	T	U	V	W	X	Y	Z	[\]	^	_
\$60 (dez: 96)	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
\$70 (dez: 112)	p	q	r	s	t	u	v	w	x	y	z	{		}	~	Δ
\$80 (dez: 128)	Ç	ü	é	â	ä	à	ã	ç	ê	ë	è	ï	î	ì	Ë	Ä
\$90 (dez: 144)	É	æ	Æ	ô	ö	ò	û	ù	ÿ	ö	Ü	ç	£	¥	β	f
\$A0 (dez: 160)	á	í	ó	ú	ñ	ñ	ä	o	í	ı	ı	½	¼	i	«	»
\$B0 (dez: 176)	⋮	⋮	⋮		†	‡	‡	π	τ	‡		π	μ	μ	ı	ı
\$C0 (dez: 192)	L	⊥	⊥	†	-	†	‡		⊥	π	μ	π		=	‡	⊥
\$D0 (dez: 208)	μ	τ	π	μ	⊥	F	π	‡	‡	J	ı	■	■			■
\$E0 (dez: 224)	α	β	Γ	π	Σ	σ	μ	τ	ϕ	θ	Ω	δ	φ	φ	ε	π
\$F0 (dez: 240)	≡	±	≥	≤	ı	J	÷	≈	°	•	•	√	n	2	3	-

4.7 Font 16x32 numbers

+ Lower Upper	\$0 (0)	\$1 (1)	\$2 (2)	\$3 (3)	\$4 (4)	\$5 (5)	\$6 (6)	\$7 (7)	\$8 (8)	\$9 (9)	\$A (10)	\$B (11)	\$C (12)	\$D (13)	\$E (14)	\$F (15)
\$20 (dez: 32)											×	+	,	-	.	÷
\$30 (dez: 48)	0	1	2	3	4	5	6	7	8	9	:					

4.8 Font 48x64 numbers

\$30 (48)	\$31 (49)	\$32 (50)	\$33 (51)	\$34 (52)	\$35 (53)	\$36 (54)	\$37 (55)	\$38 (56)	\$39 (57)
0	1	2	3	4	5	6	7	8	9


5 Font format *.FV

Font format *.FV for e.g. ST7565, UC1701, UC1610, SED1520 and KS0108 controller.

compatible display from ELECTRONIC ASSEMBLY <http://www.lcd-module.de>:
EA DOGS102-6, EA DOGM132-5, EA DOGL128-6, EA DOGL128-6, EA DOGXL160-7,
EA DIP122-5, EA DIP128-6, EA DIP180-5

Each file starts with a 8 byte header, after that font data will follow.
One Byte represents 8 pixels in vertical orientation LSB=TOP and MSB=BOTTOM.

Example: 8x16 font, that defines character 'A' and 'B' only.



The result (40 Byte) in HEX:

Header (8 Byte):

```

46 ; 'F' first 2 bytes are always FV
56 ; 'V' for FONT VERTICAL
41 ; first character code 'A'
42 ; last character code 'B'
08 ; Width in dots 8
10 ; Height in dots 16
02 ; Height in bytes 2
10 ; Bytes needed for each character 16
    if 0 (for big fonts) calculate WidthInDots * HeightInBytes

```

Character 'A' (16 Byte):

```
00 F8 0C 0C 0C 0C F8 00 00 3F 03 03 03 03 3F 00
```

Character 'B' (16 Byte):

```
00 FC 8C 8C 8C 8C 78 00 00 3F 31 31 31 31 1E 00
```


6 Font format *.FH

Font format *.FH for e.g. T6963 and S1D13700 controller.

compatible display from ELECTRONIC ASSEMBLY <http://www.lcd-module.de>:
EA DIP240-7, EA W240-7, EA W320-8

Each file starts with a 8 byte header, after that font data will follow.
One Byte represents 8 pixels in horizontal orientation MSB=LEFT and LSB=RIGHT.

Example: 8x16 font, that defines character 'A' and 'B' only.



The result (40 Byte) in HEX:

Header (8 Byte):

```

46 ; 'F' first 2 bytes are always FH
48 ; 'H' for FONT HORIZONTAL
41 ; first character code 'A'
42 ; last character code 'B'
08 ; Width in dots 8
10 ; Height in dots 16
01 ; Width in bytes 1
10 ; Bytes needed for each character 16
    if 0 (for big fonts) calculate WidthInBytes * HeightInDots

```

Character 'A' (16 Byte):

```
00 00 3C 7E 42 42 42 42 7E 7E 42 42 42 42 00 00
```

Character 'B' (16 Byte):

```
00 00 7C 7E 42 42 42 7C 7C 42 42 42 7E 7C 00 00
```